This listing of claims will replace all prior versions, and listings, of claims in the application:

Docket No. K-0789

Listing of Claims:

1. (Currently Amended) A refrigerator, comprising:

a cold air duct for receiving configured to receive cold air circulating insides inside of a refrigerating chamber and a freezing chamber;

an evaporator in the cold air duct;

at least one defrosting heater in the cold air duct for selective emission of configured to selectively emit heat;

a fan in the cold air duct, for selective direction of that selectively directs the cold air in <u>an</u> upward or downward <u>direction</u>;

a motor for driving that drives the fan; and

an open/close means-for closing device that selectively opens and closes a space having—containing the evaporator, the defrosting heater, and the fan positioned therein, selectively, wherein the open/close device is configured to be rotated by a force of a flow of the cold air generated by rotation of the fan.

2

Amdt. dated <u>December 2, 2008</u>

Reply to Office Action of September 2, 2008

- 2. (Currently Amended) The refrigerator as claimed in claim 1, wherein the open/close means includes; device comprises:
 - a first open/close part on an upper side of the space[[,]]; and
 - a second open/close part on a lower side of the space.
- 3. (Currently Amended) The refrigerator as claimed in claim 2, wherein the first and second open/close parts each-includes; comprises:
 - a supporting plate having a plurality of openings[[,]]; and
- a plurality of rotating plates each having one side coupled to the supporting plate with by a hinge, and the other side rotatable upward by a predetermined angle.
- 4. (Currently Amended) The refrigerator as claimed in claim 3, wherein the each rotating plate is constructed from comprises a thin plate, so that the rotating plate is rotated upward by a predetermined angle to open the a respective opening when the cold air is directed upward-by the fan of the plurality of openings.
- 5. (Currently Amended) The refrigerator as claimed in claim 3, wherein the rotating plate has a size enough to cover covers an upper circumference of the respective opening for closing to close the opening when the cold air is directed downward by the fan.

Amdt. dated December 2, 2008

Reply to Office Action of September 2, 2008

- 6. (Currently Amended) The refrigerator as claimed in claim 3, wherein the rotating plate is held by a rear end of an adjacent rotating plate and the supporting plate, for preventing to prevent the rotating plate from rotating downward.
- 7. (Original) The refrigerator as claimed in claim 1, wherein the fan is positioned over the evaporator.
- 8. (Currently Amended) The refrigerator as claimed in claim 1, wherein the defrosting heater is positioned between the fan and the evaporator.
- 9. (Original) The refrigerator as claimed in claim 1, wherein the defrosting heater is fabricated as one unit with the fan.
- 10. (Currently Amended) The refrigerator as claimed in claim 1, wherein the defrosting heater-includes; comprises:
- a hot wire-for functioning that functions as a resistance body connected to a power source for emission of heat[[,]]; and
 - a film of an electrical insulating material surrounding an-outside of the hot wire.

Amdt. dated December 2, 2008

Reply to Office Action of September 2, 2008

11. (Currently Amended) The refrigerator as claimed in claim 10, wherein the evaporator includes; comprises:

a at least one refrigerant pipe having configured to receive a refrigerant flowing that flows therethrough[[,]]; and

a plurality of fins on an outside of in contact with the at least one refrigerant pipe.

12. (Currently Amended) A refrigerator, comprising:

a cold air duct for receiving configured to receive cold air circulating insides inside of a refrigerating chamber and a freezing chamber;

an evaporator <u>disposed</u> in the cold air duct, the evaporator <u>having comprising at</u> least one refrigerant <u>pipes having pipe configured to receive a refrigerant flowing that flows</u> therethrough, and <u>a plurality of fins on outsides of in contact with the at least one refrigerant pipes pipe[[,]]; and</u>

at least one defrosting heater in contact with <u>one or more of</u> the <u>plurality of</u> fins for selective emission of heat<u>: and</u>

an open/close device provided at an upper portion and a lower portion of a space containing the evaporator and the defrosting heater positioned therein, that opens and closes the space.

Serial No. **10/574,656** Amdt. dated <u>December 2, 2008</u>

Docket No. K-0789

Reply to Office Action of September 2, 2008

13. (Currently Amended) The refrigerator as claimed in claim 12, wherein the defrosting heater-includes; comprises:

a hot wire for functioning that functions as a resistance body connected to a power source for emission of heat[[,]]; and

a film of an electrical insulating material surrounding an outside of the hot wire.

- 14. (Currently Amended) The refrigerator as claimed in claim 13, wherein the hot wire is a <u>bent</u> carbon hot wire-bent-closely.
- 15. (Original) The refrigerator as claimed in claim 13, wherein the film is formed of PET material.
- 16. (Original) The refrigerator as claimed in claim 12, wherein the defrosting heater is a PTC device.
- 17. (Currently Amended) The refrigerator as claimed in claim 12, wherein the defrosting heater is attached to a surface of at least one surface of the plurality of fins.

Serial No. 10/574,656

Amdt. dated December 2, 2008

Reply to Office Action of September 2, 2008

18. (Currently Amended) The refrigerator as claimed in claim 12, wherein the defrosting heater is attached to one side circumferences of the plurality of fins.

Docket No. K-0789

- 19. (Currently Amended) The refrigerator as claimed in claim 12, wherein the defrosting heater has pass through holes for pass through of the at least one refrigerant pipes pipe.
- 20. (Currently Amended) The refrigerator as claimed in claim 12, wherein at least a portion of the plurality of fins of the evaporator have insertion slots in side surfaces for inserting configured to receive the defrosting heater.
 - 21. (Canceled)
- 22. (Currently Amended) The refrigerator as claimed in claim 21, further comprising:

 a fan in the cold air duct-for-selective direction of that selectively directs the cold air-to_in an upward or downward_direction; and

a motor for driving that drives the fan.

Amdt. dated December 2, 2008

Reply to Office Action of September 2, 2008

- 23. (Currently Amended) The refrigerator as claimed in claim 22, wherein the open/close-part includes; device comprises:
 - a supporting plate having a plurality of openings[[,]]; and
- a plurality of rotating plates each having one side coupled to one side of the supporting plate-with by a hinge, and the other side rotatable upward by a predetermined angle.
- 24. (Currently Amended) The refrigerator as claimed in claim 23, wherein the rotating plate is constructed from comprises a thin plate[[,]]-so-that the rotating plate is rotated upward by a predetermined angle to open the a respective opening of the plurality of openings when the cold air is directed upward-by-the fan.
- 25. (Currently Amended) The refrigerator as claimed in claim 23, wherein the rotating plate has a size enough to cover_covers an upper circumference of the respective opening for elosing to close the opening when the cold air is directed downward by the fan.